

LUMEN CHART

Lenses Combinations	OMNI				SCL				SCL/SCL				VSM			
	F1B1				F1B1				F3B1				F1B1			
Rotation	730	740	830	840	730	740	830	840	730	740	830	840	730	740	830	840
Colour Rendering Index CRI, kelvin	730	740	830	840	730	740	830	840	730	740	830	840	730	740	830	840
Power	Lumen				Lumen				Lumen				Lumen			
19 Watt	2 635	2 748	2 422	2 567	2 822	2 943	2 594	2 749	2 784	2 903	2 559	2 712	2 866	2 989	2 635	2 792
18 Watt	2 483	2 589	2 282	2 418	2 659	2 773	2 444	2 590	2 623	2 735	2 411	2 555	2 700	2 816	2 483	2 630
17 Watt	2 352	2 453	2 162	2 291	2 519	2 627	2 315	2 454	2 485	2 591	2 284	2 421	2 558	2 668	2 352	2 492
16 Watt	2 232	2 328	2 052	2 175	2 391	2 493	2 197	2 329	2 358	2 459	2 168	2 297	2 428	2 532	2 232	2 365
15 Watt	2 058	2 146	1 892	2 005	2 204	2 298	2 026	2 147	2 174	2 267	1 999	2 118	2 238	2 334	2 058	2 181
14 Watt	1 884	1 964	1 731	1 835	2 017	2 104	1 854	1 965	1 990	2 075	1 829	1 939	2 049	2 137	1 884	1 996
13 Watt	1 731	1 806	1 591	1 687	1 854	1 934	1 704	1 806	1 829	1 907	1 681	1 782	1 883	1 964	1 731	1 834
12 Watt	1 633	1 703	1 501	1 591	1 749	1 824	1 608	1 704	1 726	1 799	1 586	1 681	1 776	1 853	1 633	1 731
11 Watt	1 426	1 488	1 311	1 390	1 528	1 593	1 404	1 488	1 507	1 571	1 385	1 468	1 551	1 618	1 426	1 511
10 Watt	1 307	1 363	1 201	1 273	1 399	1 459	1 286	1 363	1 380	1 440	1 269	1 345	1 421	1 482	1 307	1 384
9 Watt	1 100	1 147	1 011	1 071	1 178	1 228	1 083	1 147	1 162	1 212	1 068	1 132	1 196	1 247	1 100	1 165
8 Watt	958	999	881	933	1 026	1 070	943	1 000	1 012	1 056	931	986	1 042	1 087	958	1 015
7 Watt	849	886	781	827	910	949	836	886	897	936	825	874	924	963	849	900
6 Watt	653	681	600	636	700	730	643	682	690	720	634	672	711	741	653	692
5 Watt	501	522	460	488	536	559	493	523	529	552	486	516	545	568	501	531



Power applies to fixtures without control that can, depending on brand and function, affect system power.



LUMEN CHART

Lenses, Combinations	SCL		SCL/SCL		OMNI	
	F1B1		F3B1		F1B1	
Rotation	90	40	90	40	90	40
Colour Rendering Index, CRI	4000	1800	4000	1800	4000	1800
Kelvin	4000	1800	4000	1800	4000	1800
Power	Lumen		Lumen		Lumen	
23 Watt	1 838	2 041	1 838	2 029	1 763	1 941
22 Watt	1 818	2 019	1 818	2 007	1 744	1 920
21 Watt	1 700	1 887	1 700	1 876	1 630	1 795
20 Watt	1 640	1 822	1 640	1 811	1 573	1 732
19 Watt	1 561	1 734	1 561	1 724	1 498	1 649
18 Watt	1 443	1 602	1 443	1 593	1 384	1 524
17 Watt	1 374	1 525	1 374	1 516	1 318	1 451
16 Watt	1 295	1 437	1 295	1 429	1 242	1 367
15 Watt	1 225	1 361	1 225	1 353	1 175	1 294
14 Watt	1 146	1 273	1 146	1 265	1 100	1 211
13 Watt	1 077	1 196	1 077	1 189	1 033	1 137
12 Watt	949	1 053	949	1 047	910	1 002
11 Watt	850	944	850	938	815	897
10 Watt	781	867	781	862	749	824
9 Watt	672	746	672	742	645	710
8 Watt	583	647	583	644	559	616
7 Watt	474	527	474	524	455	501
6 Watt	395	439	395	436	379	417
5 Watt	306	340	306	338	294	323
4 Watt	198	219	198	218	190	209

Power applies to fixtures without control that can, depending on brand and function, affect system power.

TUNABLE WHITE

Choose from alternative schedules, programming is performed in our production.

Cool White 4000 Kelvin

Warm White 1800 Kelvin

Luminaire power (Armatur effekt) A percentage of standard power determined by the customer

